

# Bristol Bay Sockeye Salmon Fishery


## Port Moller Sockeye Salmon Stock Composition Summary

July 2–3, 2024 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for July 2–3, 2024. A total of 675 fish were sampled and 190 were analyzed (190 had adequate data to include in the analysis).


Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	0.5%	0.0%	2.5%
Ugashik	17.7%	11.2%	24.6%
Egegik	9.3%	4.7%	14.7%
Naknek	4.5%	0.0%	11.6%
Alagnak	11.4%	0.0%	19.6%
Kvichak	23.6%	15.6%	32.0%
Nushagak	13.6%	6.2%	22.1%
Wood	13.8%	8.5%	19.5%
Igushik	0.5%	0.0%	3.9%
Togiak	1.5%	0.0%	5.3%
Kuskokwim	3.6%	0.0%	8.9%

**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, July 2–3, 2024 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

### Port Moller Test Fishery 2024 Catch Per Unit of Effort by Date and Station




### Number of Genetic Samples Analyzed by Date, Station, and Estimate Release Number




# Historical Comparison of Stock Composition Estimates


2024



2023




2022




Date

# Historical Comparison of Stock Composition Estimates


2021



2020




2019




Date

# Historical Comparison of Stock Composition Estimates


2018



2017




2016




Date

# Historical Comparison of Stock Composition Estimates


2015



2014




2013




Date

# Historical Comparison of Stock Composition Estimates


2012



2011




2010




Date

# Historical Comparison of Stock Composition Estimates


2009



2008



2007



Date