


# Bristol Bay Sockeye Salmon Fishery

## Port Moller Sockeye Salmon Stock Composition Summary June 30–July 1, 2024 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for June 30–July 1, 2024. A total of 387 fish were sampled and 190 were analyzed (188 had adequate data to include in the analysis).


Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	1.8%	0.0%	5.6%
Ugashik	7.2%	0.0%	17.4%
Egegik	7.5%	0.0%	21.9%
Naknek	10.4%	4.3%	17.5%
Alagnak	15.0%	5.8%	23.8%
Kvichak	20.0%	12.2%	28.5%
Nushagak	6.9%	0.0%	16.8%
Wood	24.1%	15.5%	32.6%
Igushik	5.2%	0.0%	14.2%
Togiak	0.9%	0.0%	3.2%
Kuskokwim	1.0%	0.0%	4.3%

**Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, June 30–July 1, 2024 (All Stations).**




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

### Port Moller Test Fishery 2024 Catch Per Unit of Effort by Date and Station




### Number of Genetic Samples Analyzed by Date, Station, and Estimate Release Number




# Historical Comparison of Stock Composition Estimates


2024



2023




2022




Date

# Historical Comparison of Stock Composition Estimates


2021



2020




2019




Date

# Historical Comparison of Stock Composition Estimates


2018



2017




2016




Date

# Historical Comparison of Stock Composition Estimates


2015



2014




2013




Date

# Historical Comparison of Stock Composition Estimates


2012



2011




2010




Date

# Historical Comparison of Stock Composition Estimates


2009



2008



2007



Date