

Bristol Bay Sockeye Salmon Fishery


Port Moller Sockeye Salmon Stock Composition Summary

July 6–7, 2024 – All Stations

Genetic stock composition estimates for sockeye salmon from the Port Moller Test Fishery for July 6–7, 2024. A total of 282 fish were sampled and 190 were analyzed (190 had adequate data to include in the analysis).


Reporting Group	Stock	90%	
	Composition Estimate	Lower	Upper
North Peninsula	0.3%	0.0%	1.5%
Ugashik	2.9%	0.0%	8.5%
Egegik	0.4%	0.0%	2.8%
Naknek	8.0%	3.6%	13.4%
Alagnak	11.7%	5.1%	19.5%
Kvichak	42.3%	33.5%	51.5%
Nushagak	6.0%	0.0%	14.8%
Wood	14.5%	7.7%	21.7%
Igushik	5.5%	0.0%	13.5%
Togiak	5.1%	0.0%	10.1%
Kuskokwim	3.5%	0.0%	12.1%

Genetic Stock Composition Estimates for Sockeye Salmon Captured in the Port Moller Test Fishery, July 6–7, 2024 (All Stations).




The genetic analysis was completed by the Alaska Department of Fish and Game, Division of Commercial Fisheries, Gene Conservation Laboratory.

Port Moller Test Fishery 2024 Catch Per Unit of Effort by Date and Station




Number of Genetic Samples Analyzed by Date, Station, and Estimate Release Number




Historical Comparison of Stock Composition Estimates


2024



2023




2022




Date

Historical Comparison of Stock Composition Estimates


2021



2020




2019




Date

Historical Comparison of Stock Composition Estimates


2018



2017




2016




Date

Historical Comparison of Stock Composition Estimates


2015



2014




2013




Date

Historical Comparison of Stock Composition Estimates


2012



2011




2010




Date

Historical Comparison of Stock Composition Estimates


2009



2008



2007



Date